

- 1425 Baars J-R., Urban A.J. & Hill M.P. (2003) Biology, host range, and risk assessment supporting release in Africa of *Falconia intermedia* (Heteroptera: Miridae), a new biocontrol agent for *Lantana camara*. *Biological Control* 28: 282-292
- 1426 Bernard K.S. & Froneman P.W. (2003) Mesozooplankton community structure and grazing impact in the Polar Frontal Zone of the south Indian Ocean during austral autumn 2002. *Polar Biology* 26: 268-275
- 1427 Bonnevie B.T., Craig A.J.F.K., Hulley P.E. & Underhill G.D. (2003) Moulting, breeding season, mass, wing length, and dispersal in Cape Robins (*Cossypha caffra*) and Olive Thrushes (*Turdus olivaceus*): results from mist-netting garden birds. *Ostrich* 74(1&2): 81-86
- 1428 Brand Z., Brand T.S. & Brown C.R. (2003) The effect of dietary energy and protein levels on production in breeding female ostriches. *British Poultry Science* 44(4): 598-606
- 1429 Brand Z., Brand T.S. & Brown C.R. (2003) The effect of different combinations of dietary energy and protein on the composition of ostrich eggs. *South African Journal of Animal Science* 33(3): 193-200
- 1430 Cilliers C.J., Hill M.P., Ogwang J.A. & Ajuonu O. (2003) Aquatic Weeds in Africa and their Control. *Biological Control in IPM Systems in Africa* 11: 161-178
- 1431 Coetzee J., Byrne M. & Hill M.P. (2003) Failure of *Ecritotarsus catarinensis*, a biological control agent of waterhyacinth, to persist on pickerelweed, a non-target host in South Africa, after forced establishment. *Biological Control* 28: 229-236
- 1432 Downie D.A. (2003) Effects of short-term spontaneous mutation accumulation on life history traits in grape phylloxera, *Daktulosphaira vitifoliae*. *Genetica* 119: 237-251
- 1433 Ellis Jr J.D. & Hepburn H.R. (2003) A note on mapping propolis deposits in Cape honey bee (*Apis mellifera capensis*) colonies. *African Entomology* 11(1): 122-124
- 1434 Ellis J.D., Hepburn H.R., Ellis A.M. & Elzen P.J. (2003) Prison construction and guarding behaviour by European honeybees is dependent on inmate small hive beetle density. *Naturwissenschaften* 90: 382-384
- 1435 Ellis Jr J.D., Hepburn R., Delaplane K.S., Neumann P. & Elzen P.J. (2003) The effects of adult small hive beetles, *Aethina tumida* (Coleoptera: Nitidulidae), on nests and flight activity of Cape and European honey bees (*Apis mellifera*). *Apidologie* 34: 399-408
- 1436 Ellis Jr J.D., Delaplane K.S., Hepburn R. & Elzen P.J. (2003) Efficacy of modified hive entrances and a bottom screen device for controlling *Aethina tumida* (Coleoptera: Nitidulidae) infestations in *Apis mellifera* (Hymenoptera: Apidae) colonies. *Journal of Economic Entomology* 96(6): 1647-1652
- 1437 Ellis Jr J.D., Hepburn H.R., Ellis A.M. & Elzen P.J. (2003) Social encapsulation of the small hive beetle (*Aethina tumida* Murray) by European honeybees (*Apis mellifera* L.). *Insectes Sociaux* 50: 286-291
- 1438 Ellis Jr J.D., Richards C.S., Hepburn H.R. & Elzen P.J. (2003) Oviposition by small hive beetles elicits hygienic responses from Cape honeybees. *Naturwissenschaften* 90: 532-535
- 1439 Ellis Jr J.D., Holland A.J., Hepburn H., Neumann P. & Elzen P.J. (2003) Cape (*Apis mellifera capensis*) and European (*Apis mellifera*) honey bee guard age

- and duration of guarding small hive beetles (*Aethina tumida*). *Journal of Apicultural Research* 42(3): 32-34
- 1440 Ellis Jr. J.D., Hepburn R., Delaplane K.S. & Elzen P.J. (2003) A scientific note on small hive beetle (*Aethina tumida*) oviposition and behaviour during European (*Apis mellifera*) honey bee clustering and absconding events. *Journal of Apicultural Research* 42(1-2): 47-48
- 1441 Emmerson W., Cannicci S. & Porri F. (2003) New records for *Parasesarma leptosoma* (Hilgendorf, 1869) (Crustacea: Decapoda: Brachyura: Sesarmidae) from mangroves in Mozambique and South Africa. *African Zoology* 38(2): 351-355
- 1442 Froneman P.W. & Vorwerk P. (2003) Predation impact of juvenile *Gilchristella aestuaria* (Clupeidae) and *Atherina breviceps* (Atherinidae) on the zooplankton in the temperate Kariega estuary, South Africa. *African Journal of Aquatic Science* 28(1): 35-41
- 1443 Gray D.R. & Hodgson A.N. (2003) Growth and reproduction in the high-shore South African limpet *Helcion pectunculus* (Mollusca: Patellogastropoda). *African Zoology* 38(2): 371-386
- 1444 Gullan P.J., Downie D.A. & Steffan S.A. (2003) A new pest species of the mealybug genus *Ferrisia* Fullaway (Hemiptera: Pseudococcidae) from the United States. *Annals of the Entomological Society of America* 96(6): 723-737
- 1445 Harvey M.L., Mansell M.W., Villet M.H. & Dadour I.R. (2003) Molecular identification of some forensically important blowflies of southern Africa and Australia. *Medical and Veterinary Entomology* 17: 363-369
- 1446 Hill M.P. (2003) The impact and control of alien aquatic vegetation in South African aquatic ecosystems. *African Journal of Aquatic Science* 28(1): 19-24
- 1447 Kelly C.M.R., Barker N.P. & Villet M.H. (2003) Phylogenetics of advanced snakes (Caenophidia) based on four mitochondrial genes. *Systematic Biology* 52(4): 439-459
- 1448 McConnachie A.J., de Wit M.P., Hill M.P. & Byrne M.J. (2003) Economic evaluation of the successful biological control of *Azolla filiculoides* in South Africa. *Biological Control* 28: 25-32
- 1449 Mkize N., Villet M.H. & Robertson M.P. (2003) IsiXhosa insect names from the Eastern Cape, South Africa. *African Entomology* 11(2): 261-276
- 1450 Mosiane S.M., Kfir R. & Villet M.H. (2003) Seasonal phenology of the diamondback moth, *Plutella xylostella* (L.), (Lepidoptera: Plutellidae), and its parasitoids on canola, *Brassica napus* (L.), in Gauteng province, South Africa. *African Entomology* 11(2): 277-285
- 1451 Neumann P., Radloff S.E., Pirk C.W.W. & Hepburn R. (2003) The behaviour of drifted Cape honeybee workers (*Apis mellifera capensis*): predisposition for social parasitism? *Apidologie* 34: 585-590
- 1452 Neumann P., Pirk C.W.W., Hepburn H.R. & Moritz R.F.A. (2003) Spatial differences in worker policing facilitate social parasitism of Cape honeybee workers (*Apis mellifera capensis* Esch.) in queenright host colonies. *Insectes Sociaux* 50: 109-112
- 1453 Pakhomov E.A., Ansoerge I.J., Kaehler S., Vumazonke L.U., Gulekana K., Bushula T., Balt C., Paul D., Hargey N., Stewart H., Chang N., Furno L., Mkatshwa S., Visser C., Lutjeharms J.R.E. & Hayes-Foley P. (2003) Studying the impact of ocean eddies on the ecosystem of the Prince Edward Islands: DEIMEC II. *South African Journal of Science* 99: 187-190

- 1454 Pal P. & Hodgson A.N. (2003) The structure of the egg ribbons of a planktonic and intracapsular developing siphonariid limpet (Gastropoda: Pulmonata). *Invertebrate Reproduction and Development* 43(3): 243-253
- 1455 Parker D.M., Bernard R.T.F. & Colvin S.A. (2003) The diet of a small group of extralimital giraffe. *African Journal of Ecology* 41: 245-253
- 1456 Peinke D.M. & Brown C.R. (2003) Metabolism and thermoregulation in the springhare (*Pedetes capensis*). *Journal of Comparative Physiology B* 173: 347-353
- 1457 Perissinotto R., Villet M.H. & Stobbia P. (2003) Revision of the genus *Xiphoscelis* Burmeister 1842 (Coleoptera Scarabaeidae Cetoniinae), with description of two new species and notes on its phylogeny and ecology. *Tropical Zoology* 16: 63-82
- 1458 Pirk C.W.W., Neumann P. & Ratnieks F.L.W. (2003) Cape honeybees, *Apis mellifera capensis*, police worker-laid eggs despite the absence of relatedness benefits. *Behavioral Ecology* 14(3): 347-352
- 1459 Radloff S.E., Hepburn R. & Bangay L.J. (2003) Quantitative analysis of intracolony and intercolony morphometric variance in honeybees, *Apis mellifera* and *Apis cerana*. *Apidologie* 34: 339-351
- 1460 Radloff S.E., Hepburn H.R., Koeniger G. (2003) Comparison of flight design of Asian honeybee drones. *Apidologie* 34: 353-358
- 1461 Robertson M.P., Villet M.H., Fairbanks D.H.K., Henderson L., Higgins S.I., Hoffmann J.H., Le Maitre D.C., Palmer A.R., Riggs I., Shackleton C.M. & Zimmermann H.G. (2003) A proposed prioritization system for the management of invasive alien plants in South Africa. *South African Journal of Science* 99: 1-7
- 1462 Robertson M.P., Peter C.I., Villet M.H. & Ripley B.S. (2003) Comparing models for predicting species' potential distributions: a case study using correlative and mechanistic predictive modelling techniques. *Ecological Modelling* 164: 153-167
- 1463 Sanborn A.F., Phillips P.K. & Villet M.H. (2003) Analysis of the calling songs of *Platypleura hirtipennis* (Germar, 1834) and *P. plumosa* (Germar, 1834) (Hemiptera: Cicadidae). *African Entomology* 11(2): 291-296
- 1464 Sanborn A.F., Villet M.H. & Phillips P.K. (2003) Hot-blooded singers: endothermy facilitates crepuscular signaling in African platypleurine cicadas (Hemiptera: Cicadidae: *Platypleura* spp.). *Naturwissenschaften* 90: 305-308
- 1465 Sanborn A.F., Phillips P.K. & Villet M.H. (2003) Thermal responses in some Eastern Cape Cicadas (Hemiptera: Cicadidae). *Journal of Thermal Biology* 28: 347-351
- 1466 Tieleman B.I., Williams J.B., Buschur M.E. & Brown C.R. (2003) Phenotypic variation of larks along an aridity gradient: are desert birds more flexible? *Ecology* 84(7): 1800-1815
- 1467 Villet M.H., Sanborn A.F. & Phillips P.K. (2003) Endothermy and chorusing behaviour in the African platypleurine cicada *Pycna semiclara* (Germar, 1834) (Hemiptera: Cicadidae). *Canadian Journal of Zoology* 81: 1437-1444
- 1468 Vumazonke L.U., Pakhomov E.A., Froneman P.W. & McQuaid C.D. (2003) Diet and daily ration of male and female caridean shrimp *Nauticaris marionis* at the Prince Edward Archipelago. *Polar Biology* 26: 420-422